



At a Glance



Bluetooth



Voice control



Size-defying sound



Audio Codec



Audio Connections



WiFi

Dimensions and Weight

2.7 inches
($\Phi 69$ mm)

2.7 inches
($\Phi 69$ mm)



0.9 inches
(24 mm)





Audio Codec

MP3, AAC, ALAC, APE, FLAC, WAV, WMA, OGG

Wi - Fi

Dual band Wi-Fi supports 802.11 a/b/g/n/ac 2.4 GHz and 5 GHz network

Bluetooth

Bluetooth 5.0, SBC and AAC codec, BT receiver and transmitter (with SW update)

Line in

1Vrms

Line out

Line in to Line out:

- Power Output=2Vrms
- THD+N Ratio=0.009%
- SNR=102dB
- Crosstalk=-106dB
- Dynamic Range=96dB

BT in to Line out:

- Power Output=2Vrms
- THD+N Ratio=0.009%
- SNR=102dB
- Crosstalk=-106dB
- Dynamic Range=96dB





SPDIF

Line in to SPDIF out:

Power Output=-3dBFS

THD+N Ratio=0.005%

SNR=102dB

Crosstalk=-103dB

Dynamic Range=97dB

BT in to SPDIF out:

Power Output=0dBFS

THD+N Ratio=0.005%

SNR=297dB

Crosstalk=-364dB

Dynamic Range=213dB

Power Supply

5V,1A

LED

Three color status LED - Red, Green and White.

WiiM Mini LED Behaviors > (pdf/wiim_mini_led_behavior.pdf)

Button

Capacitive touch - Play/Pause, Volume+, Volume-

Help

Support (Support.html)

About us

Linkplay (Linkplay.html)

