

**Roon Ready Diagnostic information** [BACK to Menu](#)

02/24/2019 18:14:11 - -----

02/24/2019 18:14:11 - /opt/RoonReady/raatool logdump d05b2ac0-84f7-4876-b7aa-668b5fd7a666

```
[0000000] 0.000 TRACE [info] initializing info dictionary
[0000001] 0.003 TRACE [info] inserting raat_version -> 1.1.32
[0000002] 0.005 TRACE [info] inserting protocol_version -> 3
[0000003] 0.015 TRACE [output/alsa] initializing output uniqueid=hw:0,0
[0000004] 0.017 TRACE [output/alsa] preferred buffer duration=0.050000s
[0000005] 0.020 TRACE [output/alsa] force_max_volume=0
[0000006] 0.020 TRACE [output/alsa] resync delay=0.100000s
[0000007] 0.020 TRACE [ALSA] max pcm rate=1411200
[0000008] 0.020 TRACE [output/alsa] max dsd rate=1024
[0000009] 0.020 TRACE [output/alsa] dsd_mode=none
[0000010] 0.020 TRACE [output/alsa] getting hardware info
[0000011] 0.021 TRACE pcm card id XMC1
[0000012] 0.021 TRACE pcm card name XMC-1
[0000013] 0.021 TRACE pcm card longname Emotiva Audio Inc XMC-1 at usb-ci_hdrc.1-1.1, full speed
[0000014] 0.021 TRACE pcm card mixername USB Mixer
[0000015] 0.021 TRACE pcm card components USB0d8c:0004
[0000016] 0.021 TRACE pcm card driver USB-Audio
[0000017] 0.028 TRACE pcm card usb id 0d8c:0004
[0000018] 0.028 TRACE [output/alsa] probing formats
[0000019] 0.029 TRACE [alsa] [hw:0,0] probing formats
[0000020] 0.029 TRACE [alsa] [hw:0,0] device supports channels range 2-2
[0000021] 0.030 TRACE [alsa] [hw:0,0] supports PCM format 44100/16/1
[0000022] 0.030 TRACE [alsa] [hw:0,0] supports PCM format 48000/16/1
[0000023] 0.037 TRACE [alsa] [hw:0,0] supports PCM format 44100/16/2
[0000024] 0.037 TRACE [alsa] [hw:0,0] supports PCM format 48000/16/2
[0000025] 0.064 TRACE [output/alsa] initialized
[0000026] 0.064 TRACE [volume/null] initialized
[0000027] 0.064 TRACE [watch/alsa] initializing watch device=hw:0 exit_on_lost=1
[0000028] 0.065 TRACE [watch/alsa] initialized
[0000029] 0.065 TRACE [info] inserting unique_id -> d05b2ac0-84f7-4876-b7aa-668b5fd7a666
[0000030] 0.065 TRACE [info] inserting vendor -> Sonore
[0000031] 0.065 TRACE [info] inserting vendor_model -> ultraRendu
[0000032] 0.065 TRACE [info] inserting serial -> 00FCFE
[0000033] 0.065 TRACE [info] inserting config_url -> http://__SELF__/_/
[0000034] 0.065 TRACE [info] inserting model -> ultraRendu
[0000035] 0.065 TRACE [info] inserting version -> 1.1.32
[0000036] 0.066 INFO [server] listening on port 42079
[0000037] 0.066 TRACE [discovery] starting
[0000038] 0.067 INFO [discovery] [iface:127.0.0.1] multicast recv socket is bound to 0.0.0.0:9003
[0000039] 0.067 INFO [discovery] [iface:127.0.0.1] multicast send socket is bound to 0.0.0.0:54602
[0000040] 0.067 INFO [discovery] [iface:192.168.1.212] multicast recv socket is bound to 0.0.0.0:9003
[0000041] 0.067 INFO [discovery] [iface:192.168.1.212] multicast send socket is bound to 0.0.0.0:47345
[0000042] 0.067 INFO [discovery] unicast socket is bound to 0.0.0.0:9003
[0000043] 0.068 TRACE [device] announcing DiscoveryMessage[type=QUERY, transactionid=7969F163-1042-6058-DD8F-B16CA4E7976E, Data={"unique_id": "d05b2ac0-84f7-4876-b7aa-668b5fd7a666", "raat_version": "1.1.32", "vendor": "Sonore", "protocol_version": "3", "config_url": "http://__SELF__/_/", "model": "ultraRendu", "version": "1.1.32", "vendor_model": "ultraRendu", "serial": "00FCFE", "service_id": "5e2042ad-9bc5-4508-be92-ff68f19bdc93", "tcp_port": "42079"}, ]
[0000044] 1.002 TRACE [server] [192.168.1.5:50690] accepted connection
[0000045] 1.008 TRACE [session] [192.168.1.5:50690] created: 0x61bc48 (0x61cd20)
[0000046] 1.014 TRACE [server] new script with name=base.lua module=base
[0000047] 1.017 TRACE [session] [192.168.1.5:50690] pre-loading lua module base
[0000048] 1.026 TRACE [server] new script with name=dkjson.lua module=dkjson
[0000049] 1.027 TRACE [session] [192.168.1.5:50690] pre-loading lua module dkjson
[0000050] 1.031 TRACE [server] new script with name=protocol.lua module=protocol
[0000051] 1.040 TRACE [session] [192.168.1.5:50690] pre-loading lua module protocol
[0000052] 1.051 TRACE [server] new script with name=roon_tcp.lua module=(null)
[0000053] 1.052 TRACE [session] [192.168.1.5:50690] executing lua script
[0000054] 1.055 TRACE [server] [192.168.1.5:50690] SENT[LL] [1] {"status": "Success"}
[0000055] 1.055 TRACE [server] [192.168.1.5:50690] SENT[LL] [2] {"status": "Success"}
[0000056] 1.056 TRACE [server] [192.168.1.5:50690] SENT[LL] [3] {"status": "Success"}
```

```
[0000057] 1.080 TRACE [lua@0x61be34] [192.168.1.5:50690] [roon] clock socket listening on udp 0.0.0.0:34919
[0000058] 1.080 TRACE [lua@0x61be34] [192.168.1.5:50690] [roon] audio socket listening on tcp 0.0.0.0:46419
[0000059] 1.080 TRACE [lua@0x61be34] [192.168.1.5:50690] [roon] output info {"config": {"type": "alsa", "device":
"hw:0,0", "signal_path": [{"quality": "lossless", "type": "output", "method": "usb"}], "dsd_mode": "none", "buffer_duration":
0.050000000000000003, "alsa_device": {"id": "XMC1", "name": "XMC-1", "longname": "Emotiva Audio Inc XMC-1 at
usb-ci_hdrc.1-1.1, full speed", "mixername": "USB Mixer", "usbid": "0d8c:0004", "components": "XMC1", "driver": "USB-
Audio"}}
[0000060] 1.080 TRACE [lua@0x61be34] [192.168.1.5:50690] [roon] volume info {"config": {"type": "null", "optional":
true}}
[0000061] 1.080 TRACE [server] [192.168.1.5:50690] SENT[LL] [4] {"status": "Success"}
[0000062] 1.097 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [2] {"request": "info"}
[0000063] 1.103 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [2] {"flags": {"has_write_chmap": true}, "transport":
{"info": [], "is_supported": false}, "info": {"unique_id": "d05b2ac0-84f7-4876-b7aa-668b5fd7a666"}, "platform":
{"os": "linux", "uname": {"machine": "armv7l", "version": "#1 SMP Thu Oct 25 01:58:06 EDT 2018", "release": "4.13.16-
211.fc25.armv7hl", "nodename": "urendu-00FCFE", "sysname": "Linux"}}, "status": "Success", "output": {"info": {"config":
{"device": {"hw:0,0", "signal_path":
[{"type": "output", "quality": "lossless", "method": "usb"}], "dsd_mode": "none", "type": "alsa", "buffer_duration": 0.05}, "alsa_device":
{"mixername": "USB Mixer", "id": "XMC1", "driver": "USB-Audio", "longname": "Emotiva Audio Inc XMC-1 at usb-ci_hdrc.1-
1.1, full speed", "components": "XMC1", "name": "XMC-
1", "usbid": "0d8c:0004"}}, "supported_formats": "48000/16/1|2,44100/16/1|2", "volume": {"info": {"config":
{"type": "null", "optional": true}}, "is_supported": true}, "source_selection": {"info": [], "is_supported": false}}
[0000064] 1.103 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [3]
{"request": "set_client_type", "client_type": "Roon"}
[0000065] 1.104 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [3] {"status": "Success"}
[0000066] 1.107 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [4] {"request": "subscribe_transport"}
[0000067] 1.108 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [5]
{"request": "subscribe_controls", "controller_id": "53b01780-0997-4702-8e2d-914585c18f60"}
[0000068] 1.110 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [5]
{"status": "Success", "action": "Changed", "controls": {"volume": {"mute": false, "max": 0.0, "info": {"config":
{"type": "null", "optional": true}}, "type": "none", "min": 0.0, "value": 0, "step": 1.0}}}
[0000069] 7.156 DEBUG [discovery] broadcast op is complete
[0000070] 21.248 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [6] {"request": "setup", "format":
{"sample_type": "pcm", "sample_rate": 44100, "bits_per_sample": 16, "channels": 2, "sample_subtype": "none"}}
[0000071] 21.248 TRACE alsa output setup: format is pcm 44100/16/2
[0000072] 21.248 TRACE opening [hw:0,0] 44100/16/2
[0000073] 21.249 TRACE prefer larger samples = 0
[0000074] 21.249 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
[0000075] 21.249 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000076] 21.250 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000077] 21.250 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000078] 21.578 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000079] 21.578 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000080] 21.579 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [6]
{"status": "UnexpectedError", "message": "RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000081] 21.670 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [7] {"request": "setup", "format":
{"sample_type": "pcm", "sample_rate": 44100, "bits_per_sample": 16, "channels": 2, "sample_subtype": "none"}}
[0000082] 21.670 TRACE alsa output setup: format is pcm 44100/16/2
[0000083] 21.670 TRACE opening [hw:0,0] 44100/16/2
[0000084] 21.671 TRACE prefer larger samples = 0
[0000085] 21.671 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
[0000086] 21.671 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000087] 21.671 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000088] 21.671 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000089] 21.997 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000090] 21.998 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000091] 21.998 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [7]
{"status": "UnexpectedError", "message": "RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000092] 22.067 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [8] {"request": "setup", "format":
{"sample_type": "pcm", "sample_rate": 44100, "bits_per_sample": 16, "channels": 2, "sample_subtype": "none"}}
[0000093] 22.067 TRACE alsa output setup: format is pcm 44100/16/2
[0000094] 22.067 TRACE opening [hw:0,0] 44100/16/2
[0000095] 22.068 TRACE prefer larger samples = 0
[0000096] 22.068 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
```

```
[0000097] 22.068 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000098] 22.068 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000099] 22.068 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000100] 22.395 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000101] 22.395 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000102] 22.396 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [8]
{"status":"UnexpectedError","message":"RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000103] 22.488 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [9] {"request":"setup","format":
{"sample_type":"pcm","sample_rate":44100,"bits_per_sample":16,"channels":2,"sample_subtype":"none"}}
[0000104] 22.489 TRACE also output setup: format is pcm 44100/16/2
[0000105] 22.489 TRACE opening [hw:0,0] 44100/16/2
[0000106] 22.490 TRACE prefer larger samples = 0
[0000107] 22.490 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
[0000108] 22.490 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000109] 22.490 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000110] 22.490 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000111] 22.816 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000112] 22.816 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000113] 22.817 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [9]
{"status":"UnexpectedError","message":"RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000114] 22.916 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [10] {"request":"setup","format":
{"sample_type":"pcm","sample_rate":44100,"bits_per_sample":16,"channels":2,"sample_subtype":"none"}}
[0000115] 22.916 TRACE also output setup: format is pcm 44100/16/2
[0000116] 22.916 TRACE opening [hw:0,0] 44100/16/2
[0000117] 22.917 TRACE prefer larger samples = 0
[0000118] 22.917 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
[0000119] 22.917 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000120] 22.917 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000121] 22.917 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000122] 23.243 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000123] 23.244 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000124] 23.244 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [10]
{"status":"UnexpectedError","message":"RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000125] 23.326 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [11] {"request":"setup","format":
{"sample_type":"pcm","sample_rate":44100,"bits_per_sample":16,"channels":2,"sample_subtype":"none"}}
[0000126] 23.327 TRACE also output setup: format is pcm 44100/16/2
[0000127] 23.327 TRACE opening [hw:0,0] 44100/16/2
[0000128] 23.328 TRACE prefer larger samples = 0
[0000129] 23.328 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
[0000130] 23.328 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000131] 23.328 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000132] 23.328 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000133] 23.654 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000134] 23.654 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000135] 23.655 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [11]
{"status":"UnexpectedError","message":"RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000136] 23.742 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [12] {"request":"setup","format":
{"sample_type":"pcm","sample_rate":44100,"bits_per_sample":16,"channels":2,"sample_subtype":"none"}}
[0000137] 23.743 TRACE also output setup: format is pcm 44100/16/2
[0000138] 23.743 TRACE opening [hw:0,0] 44100/16/2
[0000139] 23.744 TRACE prefer larger samples = 0
[0000140] 23.744 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
[0000141] 23.744 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000142] 23.744 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000143] 23.744 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000144] 24.070 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000145] 24.070 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000146] 24.071 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [12]
{"status":"UnexpectedError","message":"RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000147] 24.138 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [13] {"request":"setup","format":
```

```
{"sample_type":"pcm","sample_rate":44100,"bits_per_sample":16,"channels":2,"sample_subtype":"none"}}
[0000148] 24.138 TRACE also output setup: format is pcm 44100/16/2
[0000149] 24.138 TRACE opening [hw:0,0] 44100/16/2
[0000150] 24.139 TRACE prefer larger samples = 0
[0000151] 24.139 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
[0000152] 24.139 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000153] 24.139 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000154] 24.139 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000155] 24.465 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000156] 24.465 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000157] 24.466 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [13]
{"status":"UnexpectedError","message":"RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000158] 24.541 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [14] {"request":"setup","format":
{"sample_type":"pcm","sample_rate":44100,"bits_per_sample":16,"channels":2,"sample_subtype":"none"}}
[0000159] 24.541 TRACE also output setup: format is pcm 44100/16/2
[0000160] 24.541 TRACE opening [hw:0,0] 44100/16/2
[0000161] 24.542 TRACE prefer larger samples = 0
[0000162] 24.542 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
[0000163] 24.542 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000164] 24.542 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000165] 24.542 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000166] 24.869 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000167] 24.869 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000168] 24.869 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [14]
{"status":"UnexpectedError","message":"RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000169] 24.946 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [15] {"request":"setup","format":
{"sample_type":"pcm","sample_rate":44100,"bits_per_sample":16,"channels":2,"sample_subtype":"none"}}
[0000170] 24.946 TRACE also output setup: format is pcm 44100/16/2
[0000171] 24.946 TRACE opening [hw:0,0] 44100/16/2
[0000172] 24.947 TRACE prefer larger samples = 0
[0000173] 24.947 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
[0000174] 24.947 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000175] 24.947 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000176] 24.948 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000177] 25.274 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000178] 25.274 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000179] 25.275 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [15]
{"status":"UnexpectedError","message":"RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000180] 25.343 TRACE [lua@0x61be34] [192.168.1.5:50690] GOT [16] {"request":"setup","format":
{"sample_type":"pcm","sample_rate":44100,"bits_per_sample":16,"channels":2,"sample_subtype":"none"}}
[0000181] 25.343 TRACE also output setup: format is pcm 44100/16/2
[0000182] 25.343 TRACE opening [hw:0,0] 44100/16/2
[0000183] 25.344 TRACE prefer larger samples = 0
[0000184] 25.344 TRACE [ALSA] [hw:0,0] using hw pcmformat S16_LE bitspersample 16
[0000185] 25.344 TRACE [ALSA] [hw:0,0] Requesting 2 periods
[0000186] 25.344 TRACE [ALSA] [hw:0,0] Requesting 2205 frames/buffer (1102 frames/period)
[0000187] 25.345 TRACE [ALSA] [hw:0,0] Initialized with 2 periods with 1103 frames/period and 2206 frames/buffer
[0000188] 25.671 ERROR error in snd_pcm_hw_params: Input/output error (-5)
[0000189] 25.671 WARNING [lua@0x61be34] [192.168.1.5:50690] setup failed:
RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED
[0000190] 25.672 TRACE [lua@0x61be34] [192.168.1.5:50690] SENT [16]
{"status":"UnexpectedError","message":"RAAT__OUTPUT_PLUGIN_STATUS_FORMAT_NOT_SUPPORTED"}
[0000191] 27.422 TRACE [server] [127.0.0.1:40880] accepted connection
[0000192] 27.429 TRACE [session] [127.0.0.1:40880] created: 0x61fe58 (0x694f20)
[0000193] 27.466 TRACE [server] [127.0.0.1:40880] read: eof
[0000194] 27.469 TRACE [server] [127.0.0.1:40880] destroying client
[0000195] 27.472 TRACE [session] [127.0.0.1:40880] destroying session
[0000196] 187.328 TRACE [server] [127.0.0.1:40886] accepted connection
[0000197] 187.333 TRACE [session] [127.0.0.1:40886] created: 0x61a630 (0x662810)
02/24/2019 18:14:11 - -----
02/24/2019 18:14:11 - aplay -l
**** List of PLAYBACK Hardware Devices ****
```

card 0: XMC1 [XMC-1], device 0: USB Audio [USB Audio]

Subdevices: 0/1

Subdevice #0: subdevice #0